Build on Chassis





Japh @Japh

Product Manager @humanmadeltd, Developer, #WordPress contributor. Professional hand-holder. Collector of interests.

Australia

(L) Joined February 2007

Build on Chassis

Introduction to a Solid Development Workflow

Problem

WAMP An effort to embrace a more common stack.

IIS Simple place to start.

NAMP An effort to embrace a more common stack.

IIS Simple place to start.

Close but more practical. MAMP LAMP Right to the base. WAMP An effort to embrace a more common stack. Simple place to start.

Representative, practical and portable. Close but more practical. MAMP LAMP Right to the base. WAMP An effort to embrace a more common stack. Simple place to start.





Bedrock

New VM each time. Manual config.

Bedrock



New VM each time. Manual config.

Bedrock

 $\bigvee\bigvee\bigvee$

Popular. One big VM for all projects.

New VM each time. Manual config.

Bedrock

Strong, professional approach.

More complex.

Good deployment Setup.



Popular. One big VM for all projects.

New VM each time. Manual config.

Bedrock

Strong, professional approach.

More complex.

Good deployment Setup.


$\bigvee\bigvee\bigvee$

Popular. One big VM for all projects.


Chassis

Simple to setup. Per project VMs. 











Chassis Environment







Chassis Environment











· Networking (Bonjour)

- · Networking (Bonjour)
- · Puppet provisioning

- · Networking (Bonjour)
- · Puppet provisioning
- · Word Press Config

- · Networking (Bonjour)
- · Puppet provisioning
- · Word Press Config
- · Extendable

Setup

extensions


puppet


WF

Chassis extensions puppet content

Chassis extensions puppet Your content

Live Demo Dance





~

▶ cd Projects

~/Projects

▶ git clone git@github.com:Japh/Chassis.git ./woc/ --recursive Cloning into './woc'...

remote: Counting objects: 5613, done.

remote: Compressing objects: 100% (6/6), done.

Receiving objects: 25% (1411/5613), 4.70 MiB | 541.00 KiB/s

a. japh@Arcadia: ~/Projects (zsh)

remote: Total 4973 (delta 0), reused 0 (delta 0), pack-reused 4973

Receiving objects: 100% (4973/4973), 1.07 MiB | 142.00 KiB/s, done.

Resolving deltas: 100% (2451/2451), done.

Checking connectivity... done.

Submodule path 'puppet/modules/mysql': checked out 'e2f3b54565e66693dd5a6617a45c cdddf2f5e977'

Cloning into 'puppet/modules/stdlib'...

remote: Counting objects: 6695, done.

remote: Total 6695 (delta 0), reused 0 (delta 0), pack-reused 6695

Receiving objects: 100% (6695/6695), 1.36 MiB | 307.00 KiB/s, done.

Resolving deltas: 100% (2892/2892), done.

Checking connectivity... done.

Submodule path 'puppet/modules/stdlib': checked out '2a78cbfaad2acc61d6d8bab715d b00c9890adbd7'

Cloning into 'puppet/modules/wp'...

remote: Counting objects: 207, done.

remote: Total 207 (delta 0), reused 0 (delta 0), pack-reused 207

Receiving objects: 100% (207/207), 27.62 KiB | 0 bytes/s, done.

Resolving deltas: 100% (92/92), done.

Checking connectivity... done.

Submodule path 'puppet/modules/wp': checked out '99cf7f5ebff3a8a7f9fb8163ff502a8 99ce552aa'

~/Projects



3. japh@Arcadia: ~/Projects/woc (zsh) Checking connectivity... done. Submodule path 'puppet/modules/mysgl': checked out 'e2f3b54565e66693dd5a6617a45c cdddf2f5e977' Cloning into 'puppet/modules/stdlib'... remote: Counting objects: 6695, done. remote: Total 6695 (delta 0), reused 0 (delta 0), pack-reused 6695 Receiving objects: 100% (6695/6695), 1.36 MiB | 236.00 KiB/s, done. Resolving deltas: 100% (2892/2892), done. Checking connectivity... done. Submodule path 'puppet/modules/stdlib': checked out '2a78cbfaad2acc61d6d8bab715d b00c9890adbd7' Cloning into 'puppet/modules/wp'... remote: Counting objects: 207, done. remote: Total 207 (delta 0), reused 0 (delta 0), pack-reused 207 Receiving objects: 100% (207/207), 27.62 KiB | 0 bytes/s, done. Resolving deltas: 100% (92/92), done. Checking connectivity... done. 99ce552aa'

Submodule path 'puppet/modules/wp': checked out '99cf7f5ebff3a8a7f9fb8163ff502a8

~/Projects

▶ cd ./woc/


~/Projects/woc master ✔

20d

```
3. japh@Arcadia: ~/Projects/woc (zsh)
Receiving objects: 100% (6695/6695), 1.36 MiB | 381.00 KiB/s, done.
Resolving deltas: 100% (2892/2892), done.
Checking connectivity... done.
Submodule path 'puppet/modules/stdlib': checked out '2a78cbfaad2acc61d6d8bab715d
b00c9890adbd7'
Cloning into 'puppet/modules/wp'...
remote: Counting objects: 207, done.
remote: Total 207 (delta 0), reused 0 (delta 0), pack-reused 207
Receiving objects: 100% (207/207), 27.62 KiB | 0 bytes/s, done.
Resolving deltas: 100% (92/92), done.
Checking connectivity... done.
Submodule path 'puppet/modules/wp': checked out '99cf7f5ebff3a8a7f9fb8163ff502a8
99ce552aa'
~/Projects
▶ cd ./woc/
~/Projects/woc master ✔
                                                                           8m
▶ git clone git@bitbucket.org:Japh/woc-content.git ./content/
Cloning into './content'...
warning: You appear to have cloned an empty repository.
Checking connectivity... done.
~/Projects/woc master ✔
                                                                           8m
```

```
3. japh@Arcadia: ~/Projects/woc (zsh)
Submodule path 'puppet/modules/stdlib': checked out '2a78cbfaad2acc61d6d8bab715d
b00c9890adbd7'
Cloning into 'puppet/modules/wp'...
remote: Counting objects: 207, done.
remote: Total 207 (delta 0), reused 0 (delta 0), pack-reused 207
Receiving objects: 100% (207/207), 27.62 KiB | 0 bytes/s, done.
Resolving deltas: 100% (92/92), done.
Checking connectivity... done.
Submodule path 'puppet/modules/wp': checked out '99cf7f5ebff3a8a7f9fb8163ff502a8
99ce552aa'
~/Projects
▶ cd ./woc/
~/Projects/woc master ✔
                                                                           8m
▶ git clone git@bitbucket.org:Japh/woc-content.git ./content/
Cloning into './content'...
warning: You appear to have cloned an empty repository.
Checking connectivity... done.
~/Projects/woc master ✔
                                                                           8m
▶ cp local-config-sample.php local-config.php
~/Projects/woc master ✔
                                                                           9m
```

```
3. japh@Arcadia: ~/Projects/woc (zsh)
remote: Counting objects: 207, done.
remote: Total 207 (delta 0), reused 0 (delta 0), pack-reused 207
Receiving objects: 100% (207/207), 27.62 KiB | 0 bytes/s, done.
Resolving deltas: 100% (92/92), done.
Checking connectivity... done.
Submodule path 'puppet/modules/wp': checked out '99cf7f5ebff3a8a7f9fb8163ff502a8
99ce552aa'
~/Projects
▶ cd ./woc/
~/Projects/woc master ✔
                                                                           8m
▶ git clone git@bitbucket.org:Japh/woc-content.git ./content/
Cloning into './content'...
warning: You appear to have cloned an empty repository.
Checking connectivity... done.
~/Projects/woc master ✔
                                                                           8m
▶ cp local-config-sample.php local-config.php
~/Projects/woc master ✔
                                                                           9m
▶ cp config.yaml content/config.local.yaml
~/Projects/woc master ✔
                                                                          11m
```




```
# Chassis Configuration
# This file is the default configuration for all projects. The fallback order of
# configuration files is:
# - project/content/config.local.yaml (project-specific overrides)
# - project/content/config.yaml (project-specific defaults)
# - project/config.local.yaml (global overrides)
# - project/config.yaml
                         (global defaults)
# Domain names to use for Vagrant
# The first name will be used as the machine's name, subsequent names will be
# aliased in your hosts file and in nginx
# (When overriding, include vagrant.local if you need it)
hosts:
   - vagrant.local
# IP address to use on the private network
# DHCP is used by default to assign IP addresses dynamically, override only if
# you need a static IP for your box.
"content/config.local.yaml" 66L, 1895C
```

```
# Chassis Configuration
# This file is the default configuration for all projects. The fallback order of
# configuration files is:
# - project/content/config.local.yaml (project-specific overrides)
# - project/content/config.yaml (project-specific defaults)
# - project/config.local.yaml (global overrides)
# - project/config.yaml
                        (global defaults)
# Domain names to use for Vagrant
# The first name will be used as the machine's name, subsequent names will be
# aliased in your hosts file and in nginx
# (When overriding, include vagrant.local if you need it)
hosts:
   - woc.local
   - vagrant.local
# IP address to use on the private network
# DHCP is used by default to assign IP addresses dynamically, override only if
# you need a static IP for your box.
"content/config.local.yaml" 67L, 1911C written
```


```
3. japh@Arcadia: ~/Projects/woc (vim)
Resolving deltas: 100% (92/92), done.
Checking connectivity... done.
Submodule path 'puppet/modules/wp': checked out '99cf7f5ebff3a8a7f9fb8163ff502a8
99ce552aa'
~/Projects
▶ cd ./woc/
~/Projects/woc master ✔
                                                                           8m
▶ git clone git@bitbucket.org:Japh/woc-content.git ./content/
Cloning into './content'...
warning: You appear to have cloned an empty repository.
Checking connectivity... done.
~/Projects/woc master ✔
                                                                           8m
▶ cp local-config-sample.php local-config.php
~/Projects/woc master ✔
                                                                           9m
▶ cp config.yaml content/config.local.yaml
~/Projects/woc master ✔
                                                                          11m
▶ vi content/config.local.yaml
~/Projects/woc master ✔
                                                                          13m
```


```
3. japh@Arcadia: ~/Projects/woc (zsh)
Resolving deltas: 100% (92/92), done.
Checking connectivity... done.
Submodule path 'puppet/modules/wp': checked out '99cf7f5ebff3a8a7f9fb8163ff502a8
99ce552aa'
~/Projects
▶ cd ./woc/
~/Projects/woc master ✔
                                                                           8m
▶ git clone git@bitbucket.org:Japh/woc-content.git ./content/
Cloning into './content'...
warning: You appear to have cloned an empty repository.
Checking connectivity... done.
~/Projects/woc master ✔
                                                                           8m
▶ cp local-config-sample.php local-config.php
~/Projects/woc master ✔
                                                                           9m
▶ cp config.yaml content/config.local.yaml
~/Projects/woc master ✔
                                                                          11m
▶ vi content/config.local.yaml
~/Projects/woc master ✔
                                                                          13m
▶ vagrant up
```







```
3. japh@Arcadia: ~/Projects/woc (zsh)
cal]/Mysql::Db[wordpress]/Database_user[wordpress@localhost]/ensure: created
==> default: Notice: /Stage[main]/Main/Sennza::Wp[woc.local]/Sennza::Site[woc.lo
cal]/Mysql::Db[wordpress]/Database_grant[wordpress@localhost/wordpress]/privileg
es: privileges changed '' to 'all'
==> default: Notice: /Stage[main]/Main/Sennza::Wp[woc.local]/Sennza::Site[woc.lo
cal]/Wp::Site[/vagrant/wp]/Exec[wp install /vagrant/wp]/returns: executed succes
sfully
==> default: Notice: /Stage[main]/Main/Sennza::Wp[woc.local]/File[/vagrant/local
-config-extensions.php]/ensure: defined content as '{md5}7d38d164c0b6117d30720ef
700bf61b7'
==> default: Notice: Finished catalog run in 344.17 seconds
==> default: Running provisioner: shell...
   default: Running: /var/folders/3w/ythd_f0s4vsb48nh0zhc7vw80000gn/T/vagrant-s
hell20150527-4121-18q75rb.sh
==> default: stdin: is not a tty
==> default: =========
==> default: Your Chassis box has been provisioned!
==> default: ========
==> default:
==> default: URL: http://woc.local/
==> default: Username: admin
==> default: Password: password
~/Projects/woc master ✔
                                                                         22m
```


















Flow


Production


Staging


Local




Local











Mina

Live Demo Dance




```
3. japh@Arcadia: ~/Projects/woc (zsh)
~/Projects/woc master ✔
                                                                      6h19m
▶ cp ./config/mina-local-sample.rb ./config/mina-local.rb
~/Projects/woc master ✔
                                                                      6h20m
```



```
set :hostname, "yourdomain.com"
    set :domain, "server_ip_address"
3
    set :dev, "vagrant.local"
    set :home_dir, "/var/www/"
5
    set :deploy_to, "#{home_dir}/wordpress"
6
    set :repository, "git@github.com:Username/your-project-repo.git"
    set :branch, "master"
8
    set :php_path, "/usr/bin"
9
    # Manually create these paths in shared/ (eg: shared/config/datab
10
11
    # They will be linked in the 'deploy:link_shared_paths' step.
12
    set :shared_paths, ["uploads"] # Add any others you also need.
13
14
    # Optional settings:
    set :user, "username" # Username in the server to SSH to.
15
    set :port, "22" # SSH port number.
16
    set :forward_agent, true # Forward SSH agent.
17
18
```

```
set :hostname, "woc.japh.com.au"
                                                                # The
    set :domain, "54.66.178.113"
                                                                # The
3
    set :dev, "woc.local"
                                                                # The
    set :home_dir, "/srv/users/serverpilot"
                                                                # Home
5
    set :deploy_to, "#{home_dir}/apps/woc"
                                                                # The
6
    set :repository, "git@bitbucket.org:Japh/woc-content.git"
                                                                # Your
    set :branch, "master"
                                                                # The
8
    set :php_path, "/opt/sp/php5.6/bin"
                                                                # Path
9
10
    # Manually create these paths in shared/ (eg: shared/config/datab
11
    # They will be linked in the 'deploy:link_shared_paths' step.
12
    set :shared_paths, ["uploads"] # Add any others you also need.
13
14
    # Optional settings:
    set :user, "serverpilot" # Username in the server to SSH to.
15
    set :port, "22" # SSH port number.
16
    set :forward_agent, true # Forward SSH agent.
17
18
```



```
3. japh@Arcadia: ~/Projects/woc (zsh)
~/Projects/woc master ✔
                                                                       6h21m
▶ cp ./config/mina-local-sample.rb ./config/mina-local.rb
~/Projects/woc master ✔
                                                                       6h21m
▶ vi ./config/mina-local.rb
~/Projects/woc master ✔
                                                                       6h22m
▶ mina setup
----> Loading environment
----> Setting up /srv/users/serverpilot/apps/woc
      total 20
      drwxr-xr-x 5 serverpilot serverpilot 4096 May 27 14:43 .
                               serverpilot 4096 May 27 13:50 ...
      drwxr-x--x 3 root
      drwxr-xr-x 5 serverpilot serverpilot 4096 May 27 14:03 public
      drwxrwxr-x 2 serverpilot serverpilot 4096 May 27 14:43 releases
      drwxrwxr-x 6 serverpilot serverpilot 4096 May 27 14:43 shared
----> Done.
      Elapsed time: 3.01 seconds
~/Projects/woc master ✔
                                                                       6h41m
```


```
3. mina deploy (ruby)
~/Projects/woc master ✔
                                                                          3m
▶ vi ./config/mina-local.rb
~/Projects/woc master ✔
                                                                          3m
▶ mina setup
----> Loading environment
----> Setting up /srv/users/serverpilot/apps/woc
      total 20
      drwxr-xr-x 5 serverpilot serverpilot 4096 May 27 15:57 .
      drwxr-x--x 3 root serverpilot 4096 May 27 13:50 ...
      drwxr-xr-x 4 serverpilot serverpilot 4096 May 27 15:53 public
      drwxrwxr-x 2 serverpilot serverpilot 4096 May 27 15:57 releases
      drwxrwxr-x 2 serverpilot serverpilot 4096 May 27 15:57 shared
----> Done.
      Elapsed time: 0.85 seconds
~/Projects/woc master ✔
                                                                          3m
▶ mina deploy
----> Loading environment
----> Creating a temporary build path
----> Cloning the Git repository
      Cloning into bare repository '/srv/users/serverpilot/apps/woc/scm'...
```

```
3. japh@Arcadia: ~/Projects/woc (zsh)
----> Cloning the Git repository
      Cloning into bare repository '/srv/users/serverpilot/apps/woc/scm'...
----> Using git branch 'master'
      Cloning into '.'...
      done.
----> Using this git commit
      Japh (459e5f1):
      > Removing temporary cache config file
----> Symlinking shared paths
----> Cleaning up old releases (keeping 5)
      ls: cannot access [0-9]*: No such file or directory
      ls: cannot access [0-9]*: No such file or directory
----> Update permalink structure
      Success: Rewrite structure set.
----> Build finished
----> Moving build to releases/1
----> Updating the current symlink
----> Launching
----> Done. Deployed v1
      Elapsed time: 13.09 seconds
~/Projects/woc master ✔
                                                                          3m
```

```
3. mina migrate_dev2prod (sh)
      Cloning into bare repository '/srv/users/serverpilot/apps/woc/scm'...
----> Using git branch 'master'
      Cloning into '.'...
      done.
----> Using this git commit
      Japh (459e5f1):
      > Removing temporary cache config file
----> Symlinking shared paths
----> Cleaning up old releases (keeping 5)
      ls: cannot access [0-9]*: No such file or directory
      ls: cannot access [0-9]*: No such file or directory
----> Update permalink structure
      Success: Rewrite structure set.
----> Build finished
----> Moving build to releases/1
----> Updating the current symlink
----> Launching
----> Done. Deployed v1
      Elapsed time: 13.09 seconds
~/Projects/woc master ✔
                                                                          3m
▶ mina migrate_dev2prod
```

```
3. japh@Arcadia: ~/Projects/woc (zsh)
                    user_email
                                                         | SQL
 wp_users
                   | user_url
 wp_users
                                            0
                                                         | SQL
                  | user_activation_key
                                          1 0
                                                         | SQL
 wp_users
                   | display_name
                                          1 0
                                                         SQL
 wp_users
Success: Made 460 replacements.
---> Uploading backup 2015528_2120.sql.gz to woc.japh.com.au:/srv/users/serverp
ilot/apps/woc/shared/backup/
---> Removing file from directory
---> Loading environment
---> Decompressing database export 2015528_2120.sql.gz
---> Importing /srv/users/serverpilot/apps/woc/shared/backup/2015528_2120.sql t
o database
Success: Imported from /srv/users/serverpilot/apps/woc/shared/backup/2015528_212
0.sql
----> Removing file from server
      Elapsed time: 1.72 seconds
---> Loading environment
Connection to 54.66.178.113 closed.
      Elapsed time: 10.43 seconds
~/Projects/woc master ✔
                                                                         7m
```

```
3. japh@Arcadia: ~/Projects/woc (zsh)
Success: Made 460 replacements.
---> Uploading backup 2015528_2120.sql.gz to woc.japh.com.au:/srv/users/serverp
ilot/apps/woc/shared/backup/
---> Removing file from directory
---> Loading environment
---> Decompressing database export 2015528_2120.sql.gz
---> Importing /srv/users/serverpilot/apps/woc/shared/backup/2015528_2120.sql t
o database
Success: Imported from /srv/users/serverpilot/apps/woc/shared/backup/2015528_212
0.sql
---> Removing file from server
       Elapsed time: 1.72 seconds
---> Loading environment
Connection to 54.66.178.113 closed.
       Elapsed time: 10.43 seconds
~/Projects/woc master ✔
                                                                           7m
▶ mina push_uploads
---> Uploading uploads from development
~/Projects/woc master ✔
                                                                           0m
```



Thank You!

Q Zaph

http://hmn.md

Thank You!

a) Japh http://hmn.md

Questions?